



2026

SURVEYORS'
Conference

Bridge & Structure Surveys

Stephen Reisinger, PLS

JANUARY 11-14, 2026 | HERSHEY, PA

Introduction

- Personal
- Experience
- Participation
- What is your experience?

Types of Structures

- Beam Bridge
- Truss Bridge
- Arch Bridge
- Suspension Bridge
- Cantilever Bridge
- Dams
- Statues
- Walls
- Railroad Catenary

Reinforced Concrete Slab Bridge

This bridge is poured on site. It was a popular design into the 1960's.

Located near
Lewisberry. SR 177 over
Bennett Run



Steel I-Beam Bridge

Located on SR 309 over
the Susquehanna River
at Wilkes-Barre.



Spread Box Beam Bridge

This design and the next are similar. The difference being the spacing between beams.



Adjacent Box Beam Bridge

Pre-Stressed Concrete Box Beam
(Adjacent Boxes)




DSC_0024



Truss Bridge


Types of Truss Bridges




Pratt




Parker




K-Truss




Howe




Camelback



Warren



Fink



Double Intersection Pratt




Warren (with Verticals)



Bowstring



Baltimore




Double Intersection Warren



Waddell "A" Truss



Pennsylvania



Lattice

- There are a variety of truss designs

Through Truss

A through truss bridge has beams that connect the tops of the trusses.

Located on Sheep Bridge Road over Conewago Creek



Pony Truss

In the back country of Newfoundland, I saw dozens of these.



Arch Bridges

- Arches can be constructed from concrete, stone, steel, or wood
- The arches can be part of the superstructure or the substructure
- This is one example of a concrete arch located near Bowmansdale



Concrete Arch

SR 61 bridge over the
Schuylkill River near
Hamburg



Stone Arch

Located on Kise Mill
Road over Bennett Run



Stone Arch

Can anyone tell me which bridge this is and what makes it significant?



Steel Arch Superstructure

Located in Oil City.
Center Street over Oil
Creek



Steel Arch Substructure

New River Gorge Bridge.
Located in Fayette
County, West Virginia.
Carries US 19 over New
River. The longest single
span steel arch bridge in
the US.



Wood Arch

Zimmerman Covered Bridge. Carries Covered Bridge Road over Lower Little Swatara Creek.

This style of arch is called a Burr Arch and is named after the inventor.

Pennsylvania has more than 200 covered bridges. These bridges are the most of any state in the U.S. and are spread across 34 of the state's 67 counties.



Suspension Bridge

Benjamin Franklin
Bridge carries Interstate
676 across the
Delaware River in
Philadelphia



Cantilever Bridge

Commodore Barry
Bridge carries US 322
across the Delaware
River in Chester



Cable Stayed Bridge

This is an artist's conception of the New Monongahela River Bridge that will carry the Monfayette Bypass over the Monongahela River near Pittsburgh.



Statues

The Irish Memorial at the time of this photo was located at Chestnut Street and Interstate 95 in Philadelphia. It has now been moved to the southwest corner of the Korean War Memorial Park on Spruce Street.



- Dams

McMichaels Creek Near Broad Street in Stroudsburg



Walls

Retaining Wall along
Interstate 95 in
Philadelphia



Catenary


These can be surveyed using a total station in reflectorless mode but can be difficult to survey if there is any wind at all.

Scanning is recommended.

Railroad permits, safety training, and watchmen will always be required when on a railroad.



Scan of Catenary



Methods of Survey

- Total Station
- GPS
- Scanning
- Photogrammetry
- Digital Photo Vectorization
- Drone
 - Scanning
 - Thermal Imaging
- Other?

Special Equipment or Services

- Traffic Control
- Snooper Truck
- Aerial Lifts
- Bucket Truck
- Other?

Traffic Control

This can be as simple or as involved as you want to make it. The main purpose is to keep your workers and the general public as safe as possible.



Snooper Truck

Advantages:

1. Allows access to all parts of the bridge
2. Safe work environment
3. Operator is provided
4. Usually includes traffic control

Disadvantages:

1. Expensive
2. Requires lane closures



Aerial Lifts

Advantages:

1. Allows access to higher bridges
2. Safe work environment
3. Can be operated by field personnel
4. Traffic control not usually needed

Disadvantages:

1. May be unstable on sloped ground
2. May be hard to gain access under the bridge
3. Cannot be used in the stream



Bucket Truck

Advantages:

1. Allows access to higher bridges
2. Safe work environment
3. Can be operated by field personnel

Disadvantages:


1. Can only be used on drivable surfaces
2. Usually will require traffic control



Parts of a Bridge

When surveying bridges you need to be familiar with the parts of a bridge.

This can be hard because all engineers do not call them the same thing.



Component Parts of the Bridge structure



Beam Seats




Hydraulic Opening

- Can anyone tell me what the hydraulic opening is?

Hydraulic Opening

- A "hydraulic opening" of a bridge structure refers to the effective cross-sectional area of the bridge opening that allows water to flow through it, essentially the available space under the bridge deck for water to pass, which is crucial for designing a bridge to handle floodwaters without causing excessive water level rise upstream; it takes into account factors like the bridge span, pier size, and the water surface elevation at high flow conditions.

Hydraulic Opening



Component Parts of the Bridge structure



What are quarter or tenth points?

What are quarter or tenth points?

- In bridge construction, "tenth points" refer to specific locations along the span of a bridge, dividing the length into ten equal sections, used primarily for calculating and designing the bridge deck profile, particularly when determining the elevation at various points across the span.

Survey Requirements for Various Projects

- I believe the most important factor when surveying a bridge is surveying what the designer needs to complete his or her work
- Another critical factor is setting good control
- I would classify bridge surveys into four types
- Each will require a different level of detail

Types of Projects

- Land Development
- Replacement
- Redecking
- Rehabilitation

Land Development

- In most cases, the survey requirements will be an outline of the deck and wingwalls, and the hydraulic openings.
- Unless the bridge is going to be modified, details of the substructure should not be needed
- The outline will be needed for the plan views.
- The hydraulic openings will be needed for the drainage calculations

Replacement

- In most cases, the survey requirements will be an outline of the deck and wingwalls, and the hydraulic openings.
- In many cases the designer will ask for more info
- Be sure the ask questions rather than assume what is needed

Redecking

- As with the other projects, make sure you have communicated with the designer to see what he or she needs
- Since the hydraulic openings should not change, surveys of the stream bed and hydraulic openings will probably not be needed
- The superstructure of the bridge will need more detail than the previous projects
- The substructure surveys should include the beams, abutments, piers, and beam seats

Rehabilitation

- As with the other projects, make sure you have communicated with the designer to see what he or she needs
- This type of project requires the most amount of detail since parts of the bridge will be replaced and parts will remain
- The superstructure of the bridge will need detail similar to the redecking project
- The substructure surveys should include the beams, abutments, piers, beam seats, footings (foundations), and stream bed, including scours

Typical Bridge



What to survey on a bridge deck

- Parapets
- Guide rail attachments
- Joints
- Wheel stops or sidewalks
- Railings
- Approach slabs
- Any breaks in grade
- Scuppers
- Wing walls

What to survey on a bridge substructure

- Abutments
- Piers
- Beams
- Quarter or tenths points
- Footings
- Beam seats
- Roadway or stream
- Scupper outlets

Covered Bridges

Most covered bridges will be surveyed for rehabilitation



Scanning is a good option for surveying them



Surveying Arches

To properly define the hydraulic opening of an arch, a series of points on each face of the bridge need to be surveyed.


The number of points will be determined by the size of the arch and the radius of the curve.

The smaller the radius, the closer the points need to be to each other.



Our interval would typically be 5 to 10 feet.



Truss Bridge



Statues



Dams

Working around dams can be dangerous. They are typically slippery on top. The undertow on the downstream side can cause drowning.

When possible, survey the top and the stream bed on the upstream and downstream sides.




Walls

Surveys of walls are usually simple. The key points are the bottom front, top front, top back, and bottom back.


Sometimes when they are being altered, the survey can become more difficult.



Scan of Bridge



Scan of culvert



Other things to survey at bridges

- Utilities – Overhead, underground, and attached
- Trees within the proposed construction area
- Anything that may obstruct the movement of a crane

Creating Surfaces

- Once you have surveyed the structure you need to put it into a format that is usable by the designer.
- Typically, this will be a CAD format like AutoCAD/Civil 3D, MicroStation/InRoads, or Open Roads Designer
- Deck joints should not be included, unless a complete section was surveyed along the joint
- Points may need to be added in some cases

Issues that may arise

This brush pile at the upstream will cause a problem when surveying this bridge.

Survey as much of the pier as you can at the stream bed level. Then survey the outer limits of the brush.



Spalling

There is a lot of spalling on this arch.

To properly survey this bridge, you should survey points on the face of the structure and on the barrel of the arch.



Confined Spaces

A confined space is a space that has limited entry and exit points and is not designed for continuous employee occupancy. It must also be large enough for an employee to fit inside and perform work.


There are additional requirements, equipment, personnel, and training required for working in confined spaces.



Surfaces Around Bridges


Surfaces around bridges can be tricky since you are working of two levels. You need to look at both the deck and the and the stream.

This view shows the roadway outside of the bridge and the stream between the abutments.




Surfaces around Bridges

This is the same bridge with the view rotated.



Surfaces around Bridges

This is a second surface of the same bridge that only includes the bridge deck.



SESSION EVALUATION

SESSION EVALUATION



[HTTPS://WWW.SURVEYMONKEY.COM/R/PSLS2026EVAL](https://www.surveymonkey.com/r/PSLS2026EVAL)



SURVEYORS'

[HTTPS://WWW.SURVEYMONKEY.COM/R/PSLS2026EVAL](https://www.surveymonkey.com/r/PSLS2026EVAL)